

Equipment Specifications



Standard 20'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 4"	7' 8"	7' 10"	7' 8"	7' 6"	1,172 Cft	4,916 Lbs	47,900 Lbs
5.900 m	2.350 m	2.393 m	2.342 m	2.280 m	33.2 Cu.m	2,230 Kgb	21,770 Kgs

Standard 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
39' 5"	7' 8"	7' 10"	7' 8"	7' 6"	2,390 Cft	8,160 Lbs	59,040 Lbs
12.036 m	2.350 m	2.392 m	2.340 m	2.280 m	67.7 Cu.m	3,700 Kgb	26,780 Kgs



High Cube 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
39' 5"	7' 8"	8' 10"	7' 8"	8' 5"	2,694 Cft	8,750 Lbs	58,450 Lbs
12.036 m	2.350 m	2.697 m	2.338 m	2.585 m	76.3 Cu.m	3,970 Kgb	26,510 Kgs



Equipment Specifications



Reefer 20'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
17' 4"	7' 5"	7' 5"	7' 5"	7' 3"	1,000 Cft	7,040 Lbs	45,760 Lbs
5.425 m	2.275 m	2.260 m	2.258 m	2.216 m	28.3 Cu.m	3,200 Kgb	20,800 Kgs

Reefer 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
37' 8"	7' 5"	7' 2"	7' 5"	7' 10"	2,040 Cft	7,040 Lbs	56,276 Lbs
11.493 m	2.270 m	2.197 m	2.282 m	2.155 m	58.8 Cu.m	3,200 Kgb	25,580 Kgs

Reefer 40' High Cube

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
37' 11"	7' 6"	8' 2"	7' 6"	8' 0"	2,344 Cft	9,900 Lbs	57,561 Lbs
11.557 m	2.294 m	2.500 m	2.294 m	2.440 m	66.6 Cu.m	4,500 Kgb	25,980 Kgs




Open Top 20' (Upgraded also available)

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 4"	7' 7"	7' 8"	7' 6"	7' 2"	1,136 Cft	5,280 Lbs	47,620 Lbs
5.894 m	2.311 m	2.354 m	2.286 m	2.184 m	32.23 Cu.m	2,400 Kgb	21,600 Kgs

Open Top 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
39' 5"	7' 8"	7' 8"	7' 8"	7' 5"	2,350 Cft	8,490 Lbs	58,710 Lbs
12.028 m	2.350 m	2.345 m	2.341 m	2.274 m	65.5 Cu.m	3,850 Kgb	26,630 Kgs






Flat Rack 20'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
18' 5"	7' 3"	7' 4"	-	-	-	5,578 Lbs	47,333 Lbs
5.620 m	2.200 m	2.233 m	-	-	-	2,530 Kgb	21,470 Kgs

Flat Rack 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
39' 7"	6' 10"	6' 5"	-	-	-	12,081 Lbs	85,800 Lbs
12.080 m	2.438 m	2.103 m	-	-	-	5,480 Kgb	39,000 Kgs




Flat Rack Collapsible 20'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
18' 6"	7' 3"	7' 4"	-	-	-	6,601 Lbs	61,117 Lbs
5.618 m	2.208 m	2.233 m	-	-	-	2,750 Kgb	27,730 Kgs

Flat Rack Collapsible 40' (Stak Bed)

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
39' 7"	6' 10"	6' 5"	-	-	-	12,787 Lbs	85,800 Lbs
12.080 m	2.126 m	2.043 m	-	-	-	5,800 Kgb	39,000 Kgs

Equipment Specifications



Platform 20'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 11"	8' 0"	7' 4"	-	-	-	6,061 Lbs	52,896 Lbs
6.058 m	2.438 m	2.233 m	-	-	-	2,750 Kgb	24,000 Kgs


Platform 40'

INSIDE LENGTH	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
40' 0"	8' 0"	6' 5"	-	-	-	12,783 Lbs	86,397 Lbs
12.18 m	2.40 m	1.95 m	-	-	-	5,800 Kgb	39,200 Kgs

IMPORTANT NOTE: the average specifications below are given as an indication only. Great variations can be found between series and makes. Should a client have a specific requirements his trucker will be responsible to ensure that the container he is picking up fits this requirement.

Chassis 33' Tri-Axle

LENGTH	TARE WEIGHT	MAXI CARGO
OVERALL EXTENDED 41' 3"	10,900 Lbs	44,500 Lbs *
Lunghezza massima 12.6 m	4,950 Kgs	20,185 Kgs **



Chassis 40' Gooseneck

LENGTH	TARE WEIGHT	MAXI CARGO
OVERALL EXTENDED 41' 3"	6,500 Lbs	44,500 Lbs *
Lunghezza massima 12.6 m	2,950 Kgs	20,185 Kgs **

Chassis 23,5'

LENGTH	TARE WEIGHT	MAXI CARGO
OVERALL UNEXTENDED 23' 6"	6,600 Lbs	35,500 Lbs *
OVERALL EXTENDED 27' 2"		39,500 Lbs *
Lunghezza massima esteso 7.20 m	2,995 Kgs	16,100 Kgs **
Lunghezza massima esteso 8.30 m		17,920 Kgs **

* As per USA Road Limitation

** Coma da Limitazioni Autostradali Usa

